

SAMHSA ADVISORY

Substance Abuse and Mental Health
Services Administration

COMPREHENSIVE CASE MANAGEMENT FOR SUBSTANCE USE DISORDER TREATMENT

The definition of case management varies by setting, but in general terms it is a coordinated, individualized approach that links patients¹ with appropriate services to address their specific needs and help them achieve their stated goals. Case management for patients with substance use disorders (SUDs) has been found to be effective because it helps them stay in treatment and recovery. Also, by concurrently addressing other needs, it allows patients to focus on SUD treatment. The types of settings offering SUD case management include specialty treatment programs, federally qualified health centers, rural health centers, community mental health centers, veterans' health programs, and integrated primary care practices.

This *Advisory* is based on the Substance Abuse and Mental Health Services Administration's (SAMHSA) [Treatment Improvement Protocol \(TIP\) 27, *Comprehensive Case Management for Substance Abuse Treatment*](#). It surveys the underlying principles and models of case management, discusses reasons SUD treatment providers might consider implementing or expanding the use of case management, and lists some case management-related resources and tools.

Key Messages

- Case management is framed around screening to identify a patient's medical, psychosocial, behavioral, and functional needs, and then working directly and/or through community resources to address these needs while the SUD is treated.
- Case management is increasingly used to support treatment engagement and retention while reducing the impact of SUDs on the community.
- The SUD treatment program can select a case management model that matches its treatment approach and best suits its patients and the service setting.
- In any type of case management model employed, all care team members should contribute to and endorse the patient's treatment plan, and effectively communicate with each other as the plan is implemented.

Case Management Overview

The percentage of U.S. SUD treatment programs using case management has risen since 2000, from 66 percent of the 13,418 facilities then in operation to 83 percent of the 15,961 facilities operating in 2019 (SAMHSA, 2020c; SAMHSA, Office of Applied Studies, 2002).

¹This publication uses only the term "patients" to describe recipients or potential recipients of case management services. In practice, depending on the setting and the context, the terms "clients" or "participants" are also frequently used.

Definitive statements about the overall effectiveness of case management cannot be made, because studies vary in their definitions of the term, methodology, study populations, intervention designs, and outcome measures. However, multiple analyses (Joo & Huber, 2015; Kirk et al., 2013; Penzenstadler et al., 2017; Rapp et al., 2014; Regis et al., 2020) have found positive outcomes for one or more measures, such as treatment adherence, overall functioning, costs, decreases in substance use, reductions in acute care episodes, and increased engagement in nonacute services. A 2019 meta-analysis comparing case management with treatment as usual showed a small yet statistically significant positive effect, which was greater for treatment-related tasks than for personal functioning outcomes such as improved health status and family relations and reductions in substance use and legal involvement (Vanderplasschen et al., 2019).

Principles of case management


It offers the patient a single point of contact with the health and social services system. The case manager assumes responsibility for coordinating the care of patients who receive services from multiple agencies. This replaces a haphazard process of referrals with a single, more well structured service.

It is patient centered. Each patient's right to self-determination is emphasized. The case manager is familiar with the patient's experiences and world, and uses this understanding to identify psychosocial stressors and anticipate needs. The case manager works with the patient to set reasonable goals (see box) and helps the patient access the chosen services.

Shared Decision Making

One aspect of patient-centered care is using shared decision making rather than a directive approach with patients. Shared decision making is an emerging best practice that "aims to help people in treatment and recovery have informed, meaningful, and collaborative discussions with providers" (SAMHSA, 2020d) about the behavioral healthcare services they receive. The federal [Agency for Healthcare Research and Quality \(AHRQ\)](#) has developed a five-step process for shared decision making and resources for implementing it.

5 Essential Steps of Shared Decision Making



Adapted from material in the public domain.

It is community based. The case manager helps the patient access and integrate formalized and informal care services, overcome barriers to services, and transition between services. Case managers vary in how much they are directly involved with community services (e.g., whether they make warm handoffs or accompany patients to meetings).

It is equity driven. Typically, the case manager begins by addressing a patient's urgent and tangible needs, such as stable and safe housing, food, child care, or income. The case manager does this work recognizing that when viewed through a social determinants of health (SDOH) lens (see box), some populations disproportionately lack such life-enhancing resources—and that for some patients, access to one or more of these resources may be a prerequisite for focusing on treatment.

It involves advocacy. The case manager promotes the patient's best interests. This can include educating service providers, negotiating for services, and recommending actions (e.g., using sanctions instead of jail time for patients involved with the justice system). Advocacy can also involve speaking out and acting on behalf of a patient who is refused services (e.g., because of discriminatory attitudes toward people with SUDs) or who requires assistance with meeting basic needs.

It is culturally sensitive and nonstigmatizing. The case manager is knowledgeable and nonjudgmental about the patient's culture. This enables the case manager to effectively connect with the patient and service providers in the patient's community. Another key function of the case manager is to model nonstigmatizing language, attitudes, and actions for other service providers (Volkow, 2020).

It is pragmatic. The case manager may also teach skills helpful to recovery (e.g., assertive communication, collaboration with a team of providers, day-to-day skills for living in the community). These pragmatic skills may be taught explicitly, or simply modeled during interactions between the case manager and client.

Care management versus case management

"Care management" refers to services that help a patient manage one or more chronic diseases, such as diabetes or cardiovascular disease. Case management is usually more limited in scope and time commitment (Ahmed, 2016; Centers for Medicare & Medicaid Services, 2019). For example, a case manager may be involved in a patient's care for only one or a few specific needs, such as transportation to treatment or help in applying for Medicaid (Case Management Society of America, 2020; Treiger, 2020). However, a patient with an SUD may need the kind of sustained help that is more like care management. Assistance from a case manager may be offered along the full continuum of care, and for as long as it benefits the patient.

Models of case management

Variations in the case manager's role are illustrated in the "Models of Case Management" table, which compares four case management models across 11 activities. (See [TIP 27](#), Introduction, pp. 9–11, for descriptions of each model.) Whichever model is used, all members of the care team should contribute to and endorse a shared care plan for the patient, and effectively communicate with each other as the plan is implemented (van Dongen et al., 2016). It is important to note that certification programs exist for case managers, but not all case managers are required to be certified by the relevant authorities (e.g., state Medicaid authorities and/or state mental health authorities).

Social Determinants of Health

SDOH have been defined as "the conditions in the environments where people are born, live, learn, work, play, worship, and age that affect a wide range of health, functioning, and quality-of-life outcomes and risks" (U.S. Department of Health and Human Services, n.d.), including risk for substance misuse and related health consequences (Office of the Surgeon General, 2016). Case managers can play a central role in assessing SDOH and in assisting to develop a plan that effectively takes them into account (Fink-Samnack, 2018).

Models of Case Management				
Primary Case Management Activities	Broker/Generalist	Strengths Perspective	Assertive Community Treatment	Clinical/ Rehabilitation
<i>Conducts outreach and case finding</i>	Not usually	Depends on agency mission & structure	Depends on agency mission & structure	Depends on agency mission & structure
<i>Provides assessment and ongoing reassessment</i>	Specific to immediate resource acquisition needs	Strengths-based; applicable to any of a patient's life areas	Broad-based; part of a comprehensive (biopsychosocial) assessment	Broad-based; part of a comprehensive (biopsychosocial) assessment
<i>Assists in goal planning</i>	Generally brief; related to acquiring resources, possibly informal	Patient-centered; teaches how to set goals and objectives; goals may include any of a patient's life areas	Comprehensive; goals may include any of a patient's life areas	Comprehensive; goals may include any of a patient's life areas
<i>Makes referrals to needed resources</i>	Initiates contact, or patient may contact on own	Contacts resource or accompanies a patient, or patient may contact on own	Multiple resources, as needed, are integrated into a broad package of case management services	Contacts resource or accompanies a patient, or patient may contact on own
<i>Monitors referrals</i>	Makes follow-up checks	Closely involved in ongoing relationship between patient and resource	Closely involved in ongoing relationship between patient and resource	Closely involved in ongoing relationship between patient and resource
<i>Provides therapeutic services beyond resource acquisition (e.g., therapy, skills teaching)</i>	Provides referral to other sources for these services if requested	Usually limited to answering patient questions about treatment, helping identify strengths and self-help resources	Provides many services within a unified package of treatment/case management services	Provides therapeutic activities central to the model
<i>Helps develop informal support systems</i>	No	Develops informal resources—neighbors, places of worship, family—a key principle of the model	Through implementation of drop-in centers and shelters	Stresses family & mutual-help support via therapeutic activities

continued on next page

Models of Case Management (continued)				
Primary Case Management Activities	Broker/Generalist	Strengths Perspective	Assertive Community Treatment	Clinical/ Rehabilitation
<i>Responds to crises</i>	Responds to crises related to resource needs such as housing	Responds to crises related to mental health and resource needs; active in stabilization and then referral	Responds to crises related to mental health and resource needs; active in stabilization and then referral	Responds to crises related to mental health and resource needs; stabilizes situation, provides further therapeutic intervention
<i>Engages in advocacy on behalf of individual patients</i>	Usually only at level of line staff	Assertively advocates for patients' needs with multiple systems, including agencies, families, legal systems, and legislative bodies	Assertively advocates for patients' needs with multiple systems, including agencies, families, legal systems, and legislative bodies	Assertively advocates for patients' needs with multiple systems, including agencies, families, legal systems, and legislative bodies
<i>Engages in advocacy in support of resource development</i>	Not usually	Usually in the context of specific patient needs	Advocates for needed resources or may create resources	Usually in the context of specific patient needs
<i>Provides direct services related to resource acquisition (e.g., drop-in center, employment counseling)</i>	Provides referral to resources that provide direct services	Helps prepare patient to acquire resources (e.g., by role-playing, accompanying patient to interviews)	Provides many direct services within a unified package of treatment/case management	Provides services that are part of a rehabilitation services plan; offers skill teaching

Adapted from [TIP 27](#), Figure 1-2, pp. 7–8.

Factors Underlying the Increased Use of Case Management for Patients With SUD

Reasons behind the increasing use of case managers in SUD treatment programs include the following:

Many patients with SUDs have co-occurring mental disorders and comorbid conditions that providers recognize need concurrent treatment. For example, in 2019, an estimated 49 percent of adults with an SUD also suffered a co-occurring mental illness, and of these individuals an estimated 38 percent had a serious mental illness (SAMHSA, 2020b). Common comorbid diseases include cardiovascular disease, hepatitis, and HIV/AIDS (National Institute on Drug Abuse, 2020). The services of a case manager become especially important for patients with an SUD who must navigate complex health systems to obtain treatment for all their psychiatric and medical care needs or who must adhere to

a medication regimen that may involve multiple prescriptions from one or more care providers. In such an instance, the case manager must be familiar with the patient's full medication regimen (National Council for Behavioral Health, 2020).

Programs increasingly recognize that helping patients address basic needs, as determined by a comprehensive SDOH assessment, is essential to treatment (American Public Health Association, 2014). For example, based on needs identified in the comprehensive SDOH assessment, case managers may help patients apply for Medicare, obtain transportation vouchers, or receive housing assistance so that they are better positioned to engage in and benefit from treatment. (See Chapter 5 of [TIP 27](#) for strategies on assisting special needs populations.)

The rate of acute health crises related to drug use continues to increase. Since 1999, U.S. deaths from opioid, other drug, and polysubstance use have trended upward (Centers for Disease Control and Prevention [CDC], 2019), increasing by 10 percent from March 2019 to March 2020 (Ahmad et al., 2020). The numbers of nonfatal overdoses, hospitalizations, and emergency department visits have also increased considerably (AHRQ, 2019, 2020; Vivolo-Kantor et al., 2020; Weiss et al., 2017). For people who enter the health system through emergency services for an SUD-related crisis, case managers can help access follow-up services and care (Sortedahl et al., 2018). For example, a hospital case manager can help coordinate a drug transition plan for a patient with pain seen in the emergency department for prescription opioid overdose. Often, peer recovery support specialists are embedded in these medical settings to help assist with the initial case management needs of patients with an SUD. These specialists have lived experience with recovery and are trained to help patients with SUDs engage in treatment and enter long-term recovery.

Multiple developments in healthcare and behavioral health services are expanding the use of case management (Ahmed, 2016). These include:

- More emphasis on medical and behavioral health integration, which creates a need for coordination of services—a need that case managers can fulfill.
- Greater use of screening, brief intervention, and referral to treatment (SBIRT) tools in care settings, which can involve case managers in implementation, follow-up, and coordination of care.
- Growing adoption of reimbursement for chronic care management and value-based care by Medicare and other insurers; case managers may be involved in monitoring, measuring, and evaluating outcomes achieved by the care team (Tahan et al., 2020).
- The development of health information technology solutions that facilitate care coordination and patient-centered care.
- Increased use of peer recovery support specialists, who can cost effectively extend the services of case managers by guiding people in SUD treatment on their journey through recovery-oriented systems of care (prevention, intervention, treatment, posttreatment).
- Recent changes to the federal regulations governing the confidentiality of SUD patient records that make it easier to use information in such records for case management and care coordination activities (SAMHSA, 2020a).
- The movement of health systems toward a population-based approach to behavioral health care and a systems-wide focus on health equity, cultural competence, and cultural responsiveness. Case managers may participate in community health assessments (CDC, n.d.), and they may also help educate the treatment team about how addressing SDOH can contribute to greater health equity and therefore better health.

Case management services can benefit the individual who needs short-term help in connecting to SUD treatment, or some specific ancillary service that facilitates access to treatment (e.g., transportation, child care). However, case management is especially helpful for people with complex or chronic health and social services needs. Ideally, case management supports the philosophy of “no wrong door.” This means that however people enter the healthcare and social services system (whether through the emergency department, a law enforcement encounter, hospitalization, a prevention program, an initial visit to a treatment program, a primary care visit, a shelter stay, or some other entry point), a case manager links them with the range of services they want or need.

Resources

- **[Substance Abuse and Mental Health Services Administration \(SAMHSA\)](#)**
 - [Addiction Technology Transfer Center \(ATTC\) Network Anti-Stigma Toolkit: Guide to Reducing Addiction-Related Stigma](#)
 - [Screening, Brief Intervention, and Referral to Treatment \(SBIRT\) Tools](#)
 - [Technical Assistance Publication \(TAP\) 21, *Addiction Counseling Competencies: The Knowledge, Skills, and Attitudes of Professional Practice*](#)
 - [TIP 27, *Comprehensive Case Management for Substance Abuse Treatment*](#) (see also [the Editor’s Note on TIP 27](#))
 - [TIP 59, *Improving Cultural Competence*](#)
- **[American Case Management Association \(ACMA\)](#)**
- **[Case Management Society of America \(CMSA\)](#)**
- **[Integrated Communities Care Management Toolkit](#)**
- **[National Association of Community Health Centers](#)**
 - [Protocol for Responding to and Assessing Patients’ Assets, Risks, and Experiences \(PRAPARE\)](#)
- **[National Institute on Drug Abuse \(NIDA\)](#)**
 - [Words Matter: Terms to Use and Avoid When Talking About Addiction](#)
- **[Pair of ACEs Tree](#)**
- **[SIREN \(Social Interventions Research & Evaluation Network\) Resources](#)**
- **[2·1·1 Social Services Database](#)**
- **[Think Cultural Health](#)**

Bibliography

- Agency for Healthcare Research and Quality. (2019). Trends in the rate of opioid-related hospitalizations. <https://www.ahrq.gov/opioids/map/index.html>
- Agency for Healthcare Research and Quality. (2020). Opioid-related hospital use. <https://www.hcup-us.ahrq.gov/faststats/OpioidUseMap?setting=ED>
- Ahmad, F. B., Rossen, L. M., & Sutton, P. (2020). *Provisional drug overdose death counts*. <https://www.cdc.gov/nchs/nvss/vsrr/drug-overdose-data.htm>
- Ahmed, O. I. (2016). Disease management, case management, care management, and care coordination: A framework and a brief manual for care programs and staff. *Professional Case Management*, 21(3), 137–146.
- American Public Health Association. (2014). *Support for social determinants of behavioral health and pathways for integrated and better public health* [Policy statement]. <https://www.apha.org/policies-and-advocacy/public-health-policy-statements/policy-database/2015/01/28/14/58/support-for-social-determinants-of-behavioral-health>
- Case Management Society of America. (2020). What is a case manager? <https://www.cmsa.org/who-we-are/what-is-a-case-manager>
- Centers for Disease Control and Prevention. (n.d.). Community health assessment & health improvement planning. <https://www.cdc.gov/publichealthgateway/cha/index.html>
- Centers for Disease Control and Prevention. (2019). *2019 annual surveillance report of drug-related risks and outcomes—United States Surveillance Special Report*. U.S. Department of Health and Human Services.
- Centers for Medicare & Medicaid Services. (2019). *Chronic care management services*. <https://www.cms.gov/Outreach-and-Education/Medicare-Learning-Network-MLN/MLNProducts/Downloads/ChronicCareManagement.pdf>
- Fink-Samnick, E. (2018). Managing the social determinants of health: Part II. Leveraging assessment toward comprehensive case management. *Professional Case Management*, 23(5), 240–255.
- Joo, J. Y., & Huber, D. L. (2015). Community-based case management effectiveness in populations that abuse substances. *International Nursing Review*, 62(4), 536–546.
- Kirk, T. A., Di Leo, P., Rehmer, P., Moy, S., & Davidson, L. (2013). A case and care management program to reduce use of acute care by clients with substance use disorders. *Psychiatric Services*, 64(5), 491–493.
- National Council for Behavioral Health. (2020). *Organizational toolkit on medication adherence*. https://www.thenationalcouncil.org/wp-content/uploads/2020/03/Medication_Adherence_Toolkit_Final.pdf?dof=375ateTbd56
- National Institute on Drug Abuse. (2020). *Common comorbidities with substance use disorders research report*. <https://www.drugabuse.gov/publications/research-reports/common-comorbidities-substance-use-disorders/part-2-co-occurring-substance-use-disorder-physical-comorbidities>
- Office of the Surgeon General. (2016). *Facing addiction in America: The Surgeon General's report on alcohol, drugs, and health*. U.S. Department of Health and Human Services.
- Penzenstadler, L., Machado, A., Thorens, G., Zullino, D., & Khazaal, Y. (2017). Effect of case management interventions for patients with substance use disorders: A systematic review. *Frontiers in Psychiatry*, 8(51), 1–9.
- Rapp, R. C., Van Den Noortgate, W., Broekaert, E., & Vanderplasschen, W. (2014). The efficacy of case management with persons who have substance abuse problems: A three-level meta-analysis of outcomes. *Journal of Consulting and Clinical Psychology*, 82(4), 605–618.
- Regis, A., Meyers-Ohki, S. E., Mennenga, S. E., Greco, P. P., Glisker, R., Kolaric, R., ... Bogenschutz, M. P. (2020). Implementation of strength-based case management for opioid-dependent patients presenting in medical emergency departments: Rationale and study design of a randomized trial. *Trials*, 21(1), 761.
- Sortedahl, C., Krsnak, J., Crook, M. M., & Scotton, L. (2018). Case managers on the front lines of opioid epidemic response: Advocacy, education, and empowerment for users of medical and nonmedical opioids. *Professional Case Management*, 23(5), 256–263.

- Substance Abuse and Mental Health Services Administration. (2020a). *Fact sheet: SAMHSA 42 CFR Part 2 Revised Rule* [Press release]. <https://www.samhsa.gov/newsroom/press-announcements/202007131330>
- Substance Abuse and Mental Health Services Administration. (2020b). *Key substance use and mental health indicators in the United States: Results from the 2019 National Survey on Drug Use and Health*. HHS Publication No. PEP20-07-01-001, NSDUH Series H-55.
- Substance Abuse and Mental Health Services Administration. (2020c). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2019. Data on substance abuse treatment facilities*.
- Substance Abuse and Mental Health Services Administration. (2020d). Shared decision-making tools (para. 2). <https://www.samhsa.gov/brss-tacs/recovery-support-tools/shared-decision-making>
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2002). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2000. Data on substance abuse treatment facilities, DASIS Series: S-16*, DHHS Publication No. (SMA) 02-3668.
- Tahan, H. M., Kurland, M., & Baker, M. (2020). Understanding the increasing role and value of the professional case manager: A national study from the Commission for Case Manager Certification: Part 1. *Professional Case Management*, 25(3), 133–165.
- Treiger, T. M. (2020). Shared decision-making: A new frontier for case management leadership. *Professional Case Management*, 25(2), 56–76.
- U.S. Department of Health and Human Services. (n.d.). Social determinants of health. <https://health.gov/healthypeople/objectives-and-data/social-determinants-health>
- Vanderplasschen, W., Rapp, R. C., De Maeyer, J., & Van Den Noortgate, W. (2019). A meta-analysis of the efficacy of case management for substance use disorders: A recovery perspective. *Frontiers in Psychiatry*, 10, 186.
- van Dongen, J. J., van Bokhoven, M. A., Daniëls, R., van der Weijden, T., Emonts, W. W., & Beurskens, A. (2016). Developing interprofessional care plans in chronic care: A scoping review. *BMC Family Practice*, 17(1), 137.
- Vivolo-Kantor, A. M., Hoots, B. E., Scholl, L., Pickens, C., Roehler, D. R., Board, A., ... Liu, S. (2020). Nonfatal drug overdoses treated in emergency departments—United States, 2016–2017. *Morbidity and Mortality Weekly Report*, 69(13), 371–376.
- Volkow, N. (2020). Stigma and the toll of addiction. *New England Journal of Medicine*, 382(14), 1289–1290.
- Weiss, A. J., Elixhauser, A., Barrett, M. L., Steiner, C. A., Bailey, M. K., & O'Malley, L. (2017). *Opioid-related inpatient stays and emergency department visits by state, 2009–2014*. HCUP Statistical Brief No. 219. Agency for Healthcare Research and Quality.

Acknowledgments: This *Advisory* was written and produced under contract number 283-17-4901 by the Knowledge Application Program (KAP) for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS). Dr. Robert Baillieu served as Product Champion, and Suzanne Wise served as the Contracting Officer's Representative (COR).

Nondiscrimination Notice: SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad, o sexo.

Recommended Citation: Substance Abuse and Mental Health Services Administration. (2021). Comprehensive Case Management for Substance Use Disorder Treatment. *Advisory*.

Publication No. PEP20-02-02-013
Published 2021